

FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

System Specification

Maximum Panel Weight = 80kg

Maximum Panel Height = 3000mm

Single Damper Door Minimum Width = 600mm

Double Damper Door Minimum Width = 600mm

Minimum Panel Thickness 51/120/SS = 19mm

Maximum Panel Thickness 51/120/SS = 48mm

Minimum Panel Thickness 57/120/SS = 12mm


Maximum Panel Thickness 57/120/SS = 24mm

Required Tools

13mm Spanner



Electric Drill




Ø4mm Drill Bit



Tape Measure



Engineering Square



6mm Allen Key



Posi Screw Driver



Pencil



For track & Floor guide installation – see separate Soltaire 120 fitting Instruction sheet

FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

Single Damper Content of kit



Double Damper

Content of Kit

1 x Standard Damper Assembly

1 x Reverse Damper Assembly

8 x 8g x 1" Wood Screws

2 x 5g x 1" Woodscrew


2 x M8 Thin nut

2 x Trigger Block

2 x HH4/SS Track stop

2 x 57/120/SS Apron Plate


2 x solitaire 120 strap bolt




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG
ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

Alternative Hanger Options


52/120/SS
Hanger



56/120/SS
Hanger



51/120/SS
Hanger



Note:

See Soltaire 120 Fitting Instructions for Alternative Installation Details


52/120/SS
Apron
Plate



56/120/SS
Apron
Plate



51/120/SS
Apron
Plate




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG


ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

These fitting instructions detail a **SOFT CLOSE** installation, for **SOFT OPEN** installation simply reverse the damper assembly & hanger as detailed below.

Single Damper Installation –SOFT CLOSE Direction



Single Damper Installation –SOFT OPEN Direction




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG


ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

Double damper installation - Two damper assemblies in one installation kit provides damping in both directions

Double Damper Installation




1. Routing Details for Apron plate (57/120/SS)




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

2. Attach Apron Plates to Door




3. Install Hardware into track




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

4. Secure track stop to track




5. Adjust nut position on strap bolt prior to hanging door




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

6. Hang door




7. Secure Door using 13mm spanner




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

8. Ensure door is correctly aligned and level




9. Measure 232 mm from end of track stop, marking position on underside of track




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE


**10. Aligning with mark on underside of track,
Drill on centre line of track - Ø4 (track only) to
locate trigger block**




**11. Insert trigger block, ensuring block is rotated
perpendicular to track, as shown in final position**



Install




Final Position




FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

12. Slide door along track to allow trigger to engage with trigger block.



13. Final position – confirm final position



FITTING INSTRUCTIONS – NOTICE DE POSE – MONTAGE HANDLEIDING – MONTAGEANLEITUNG

ISTRUZIONI DI MONTAGGIO – INSTRUCCIONES DE MONTAJE

14. For the double damper, repeat instructions steps 9 through to 12 for both end stops (note trigger point positions alter in the open & closed position, see overview)

